



Attorney Docket No. 1572.1240

Handwritten initials: GJS

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Jin-hyuk CHOI et al.

Application No.: 10/802,926

ATTENTION

Confirmation No.: 5416

CERTIFICATE OF CORRECTION

Filed: March 18, 2004

BRANCH

U.S. Patent No.: 7,101,442

Issued: September 5, 2006

For: REACTION APPARATUS

Certificate
DEC 12 2006
of Correction

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

Patentee(s) respectfully request(s) that a Certificate of Correction be issued in the subject patent, pursuant to 35 USC § 254 and 37 CFR § 1.322, to correct the error(s) shown on the attached Form PTO-1050. A check in the amount of \$100 to cover the cost of the Certificate is attached.

One or more of the errors shown on the attached Form PTO-1050 is or are within the responsibility of the applicant; each thereof is of a clerical or typographical nature or of minor character and occurred in good faith, and the correction thereof is consistent with the prosecution record.

Respectfully submitted,

STAAS & HALSEY LLP

Date: Dec. 7, 2006

By: *Gene M. Garner, II*
Gene M. Garner, II
Registration No. 34,172

1201 New York Ave, N.W., 7th Floor
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

10/400/8000 ST-000001 00000000 00000000
00 000000 00000000

DEC 13 2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 7,101,442

DATED : September 5, 2006

INVENTOR(S) : Jin-hyuk CHOI et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 9, Line 36, change "seat" to --seal--.

Column 10, Line 27, change "thorough" to --through--.

Column 10, Line 34, change "thorough" to --through--.

MAILING ADDRESS OF SENDER:

STAAS & HALSEY LLP
1201 New York Avenue, N.W.
7th Floor
Washington, DC 20005

PATENT NO. 7,101,442

No. of add'l copies
@ 304 per page

DEC 13 2006